Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Gem Imports Ltd

Supplier's address: Gem Imports Ltd, 2 Athena Way, Hoyland, Barnsley, S74 0FQ

Model identifier: ELE8686/OB

Type of light source:

Lighting to the state	nu ucod:		Non directional an	NDLC
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		E27		
(or other electric i	nterface)			
Mains or non-mains:		MLS	Connected light	No
			source (CLS):	
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	No
		Product para	imeters	
Parameter		Value	Parameter	Value
		General product	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up		5	Energy efficiency class	F
to the nearest integer Useful luminous flux (φuse), in-		470 in	Correlated colour	4,000
dicating if it refers to the flux in a sphere (360°), in a wide cone (120°)		Sphere (360°)	temperature, rounded to the near- est 100 K, or	4,000
or in a narrow cone (90º)			the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	
On-mode power (P _{on}), ex- pressed in W		5.0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0.00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second dec- imal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be	80
Outer dimen-	Height	110	Spectral power dis-	See image in last
sions without	Width	60	tribution in the	page
separate con- trol gear, light- ing control	Depth	60	range 250 nm to 800 nm, at full-load	
parts and non- lighting con- trol parts, if any				
(millime- tre)				
Claim of equivalent power®		Yes	lf yes, equivalent power (W)	40
			Chromaticity coordi-	0,380
			nates (x and y)	0,380

Parameters for LED and OLED light sources:					
R9 colour rendering index value	0	Survival factor	0.90		
the lumen maintenance factor	0.95				
Parameters for LED and OLED mains light	t sources:	· · ·			
displacement factor (cos φ1)	0.00	Colour consistency in McAdam ellipses	6		
Claims that an LED light source replaces a fluorescent light source without integrated bal-last of a particular wattage	_(b)	If yes then replace- ment claim (W)	-		
Flicker metric (Pst LM)	1.0	Stroboscopic effect metric (SVM)	0.9		

^(a)'-' : not applicable;

^(b)'-' : not applicable;